ROLL #: _____

ESO212 Fluid Mechanics & Rate ProcessesJuly-Nov 2010Quiz 1Paper B30 minutes; 10 points

- Fill your name, roll no., and section no. above.
- Circle the correct answer among the four choices given.
- 2.5 marks for a correct answer. *Negative marking*: One point will be deducted per wrong answer.

• Use $g = 9.8m/s^2$.

1. For the manometer shown in figure 1, if the absolute pressure at point A is $1.013 \times 10^5 Pa$, the gauge pressure at point B is $(\rho_{water} = 10^3 kg/m^3, \rho_{Hg} = 13.56 \times 10^3 kg/m^3, \rho_{oil} = 1200 kg/m^3)$:

(a) 11.21 kPa (b) 11.21 MPa (c) 112.52 kPa (d) 112.52 MPa



Figure 1: Problem 1

2. A solid cube (of length 1m) floats at the interface between water and air such that 60% of the sphere is submerged in water. The density of the cube is:

(a) $400 \ kg/m^3$ (b) $1666.67 \ kg/m^3$ (c) $166.67 \ kg/m^3$ (d) $600 \ kg/m^3$.

3. Consider the geometry of a dam shown in figure 2 (each step is 0.2m high, 0.2m deep and 2m wide [into the paper]). The vertical force exerted by the fluid on the steps of the dam is

(a) 84.96 kN (b) 849.6 kN (c) 169.92 kN (d) 1699.2 kN

4. A 2-D velocity field is given (in arbitrary units) by

$$\mathbf{v} = y\mathbf{i} - x\mathbf{j}$$

The acceleration at (x = 1, y = 1) is

(a) $-\mathbf{i} - \mathbf{j}$ (b) 0 (c) $\mathbf{i} - \mathbf{j}$ (d) $\mathbf{i} + \mathbf{j}$



Figure 2: Problem 4